



Standard Size Program Series 1050

The standard size program was created to offer certain market segments access to Fleetwood quality but at a price point more conducive to non-custom applications. Most of the cost savings can be traced to the 'batch' fabrication of the vertical frame and panel parts. Related, the lead-time for Standard Size doors is typically one week longer than custom sizes as the batch runs are randomly scheduled.

A summary of the features and options:

Features: Series 1050

Finish: Clear Anodize or Dark Bronze Anodize

Glass: All available choices

Hardware: Archetype Narrow (Brass, Silver Painted), 46" Height

Screens: Optional

Sightline Extenders: No

Hidden Track: 1"

Flush Stack: No

Sizes: Panels at 3068, 3080, 3090, 30100, 4080, 4090, 40100, 5080, 5090 & 50100 modules. See standard net frame sizes in configuration list below.

Configurations: See available list below. Corner doors are available as 90 degree outside corner only.

XX:

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

XXX:

9068 (107.5" x 79.5"), 12068 (143.5" x 79.5"), 15068 (179.5" x 79.5")
9080 (107.5" x 95.5"), 12080 (143.5" x 95.5"), 15080 (179.5" x 95.5")
9090 (107.5" x 107.5"), 12090 (143.5" x 107.5"), 15090 (179.5" x 107.5")
90100 (107.5" x 119.5"), 120100 (143.5" x 119.5"), 150100 (179.5" x 119.5")

XXXX:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

XXXXX:

15068 (179.5" x 79.5"), 16068 (239.5" x 79.5"), 20068 (299.5" x 79.5")
15080 (179.5" x 95.5"), 16080 (239.5" x 95.5"), 20080 (299.5" x 95.5")
15090 (179.5" x 107.5"), 16090 (239.5" x 107.5"), 20090 (299.5" x 107.5")
150100 (179.5" x 119.5"), 160100 (239.5" x 119.5"), 200100 (299.5" x 119.5")

OX or XO:

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

OXX or XXO:

9068 (107.5" x 79.5"), 12068 (143.5" x 79.5"), 15068 (179.5" x 79.5")
9080 (107.5" x 95.5"), 12080 (143.5" x 95.5"), 15080 (179.5" x 95.5")
9090 (107.5" x 107.5"), 12090 (143.5" x 107.5"), 15090 (179.5" x 107.5")
90100 (107.5" x 119.5"), 120100 (143.5" x 119.5"), 150100 (179.5" x 119.5")

OXXX or XXXO:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
12100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

OXXXX or XXXXO:

15068 (179.5" x 79.5"), 16068 (239.5" x 79.5"), 20068 (299.5" x 79.5")
15080 (179.5" x 95.5"), 16080 (239.5" x 95.5"), 20080 (299.5" x 95.5")
15090 (179.5" x 107.5"), 16090 (239.5" x 107.5"), 20090 (299.5" x 107.5")
150100 (179.5" x 119.5"), 160100 (239.5" x 119.5"), 200100 (299.5" x 119.5")

OX|XO:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

OXX|XXO:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

OXXX|XXXO:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

OXXXX|XXXXO:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

XX|XX:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

XXX|XXX:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

XXXX|XXXX:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

XXXXX|XXXXX:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

PX or XP: (Daylight Openings)

3068 (35.5" x 79.5"), 4068 (47.5" x 79.5"), 5068 (59.5" x 79.5")
3080 (35.5" x 95.5"), 4080 (47.5" x 95.5"), 5080 (59.5" x 95.5")
3090 (35.5" x 107.5"), 4090 (47.5" x 107.5), 5090 (59.5" x 107.5")
30100 (35.5" x 119.5"), 40100 (47.5" x 119.5"), 50100 (59.5" x 119.5")

PXX or XXP: (Daylight Openings)

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

PXXX or XXXP: (Daylight Openings)

9068 (107.5" x 79.5"), 12068 (143.5" x 79.5"), 15068 (179.5" x 79.5")
9080 (107.5" x 95.5"), 12080 (143.5" x 95.5"), 15080 (179.5" x 95.5")
9090 (107.5" x 107.5"), 12090 (143.5" x 107.5"), 15090 (179.5" x 107.5")
90100 (107.5" x 119.5"), 120100 (143.5" x 119.5"), 150100 (179.5" x 119.5")

PXXXX or XXXXP: (Daylight Openings)

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

PXXXXX or XXXXXP: (Daylight Openings)

15068 (179.5" x 79.5"), 16068 (239.5" x 79.5"), 20068 (299.5" x 79.5")
15080 (179.5" x 95.5"), 16080 (239.5" x 95.5"), 20080 (299.5" x 95.5")
15090 (179.5" x 107.5"), 16090 (239.5" x 107.5"), 20090 (299.5" x 107.5")
150100 (179.5" x 119.5"), 160100 (239.5" x 119.5"), 200100 (299.5" x 119.5")

PX|XP: (Daylight Openings)

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

PXX|XXP: (Daylight Openings)

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

PXXX|XXXP: (Daylight Openings)

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

PXXXX|XXXXP: (Daylight Openings)

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

PXXXXX|XXXXXP: (Daylight Openings)

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

OXvXO:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

OXXvXXO:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

OXXXvXXXO:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

OXXXXvXXXXO:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

XXvXX:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

XXXvXXX:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

XXXXvXXXX:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

XXXXXvXXXXX:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

PXvXP: (Daylight Openings)

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

PXXvXXP: (Daylight Openings)

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

PXXXvXXXP: (Daylight Openings)

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

PXXXXvXXXXP: (Daylight Openings)

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

PXXXXXvXXXXXP: (Daylight Openings)

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")