



## Standard Size Program Series 1070

The standard size program was created to offer certain market segments access to Fleetwood quality but at a price point more conducive to non-custom applications. Most of the cost savings can be traced to the 'batch' fabrication of the vertical frame and panel parts. Related, the lead-time for Standard Size doors is typically one week longer than custom sizes as the batch runs are randomly scheduled.

A summary of the features and options:

### **Features: Series 1070**

Finish: Clear Anodize or Dark Bronze Anodize

Glass: All available choices

Fillers: None (Except at the head on fixed panel)

Hardware: Archetype Narrow (Brass, Silver Painted), 46" Height

Performance: 70 mph

Screens: Optional

Sightline Extenders: No

Sub Sillpan: No

Flush Stack: No

Sillpan: 3/4" (minimal water) or 1 5/8" height (minimal water)

Risers: None

**Sizes:** Panels at 3068, 3080, 3090, 30100, 4080, 4090, 40100, 5080, 5090 & 50100 modules. See standard net frame sizes in configuration list below.

**Configurations:** See available list below. Corner doors are available as 90 degree outside corner only.

### XX:

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")  
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")  
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")  
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

### XXX:

9068 (107.5" x 79.5"), 12068 (143.5" x 79.5"), 15068 (179.5" x 79.5")  
9080 (107.5" x 95.5"), 12080 (143.5" x 95.5"), 15080 (179.5" x 95.5")  
9090 (107.5" x 107.5"), 12090 (143.5" x 107.5"), 15090 (179.5" x 107.5")  
90100 (107.5" x 119.5"), 120100 (143.5" x 119.5"), 150100 (179.5" x 119.5")

### XXXX:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

### XXXXX:

15068 (179.5" x 79.5"), 16068 (239.5" x 79.5"), 20068 (299.5" x 79.5")  
15080 (179.5" x 95.5"), 16080 (239.5" x 95.5"), 20080 (299.5" x 95.5")  
15090 (179.5" x 107.5"), 16090 (239.5" x 107.5"), 20090 (299.5" x 107.5")  
150100 (179.5" x 119.5"), 160100 (239.5" x 119.5"), 200100 (299.5" x 119.5")

### OX or XO:

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")  
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")  
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")  
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

### OXX or XXO:

9068 (107.5" x 79.5"), 12068 (143.5" x 79.5"), 15068 (179.5" x 79.5")  
9080 (107.5" x 95.5"), 12080 (143.5" x 95.5"), 15080 (179.5" x 95.5")  
9090 (107.5" x 107.5"), 12090 (143.5" x 107.5"), 15090 (179.5" x 107.5")  
90100 (107.5" x 119.5"), 120100 (143.5" x 119.5"), 150100 (179.5" x 119.5")

OXXX or XXXO:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
12100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

OXXXX or XXXXO:

15068 (179.5" x 79.5"), 16068 (239.5" x 79.5"), 20068 (299.5" x 79.5")  
15080 (179.5" x 95.5"), 16080 (239.5" x 95.5"), 20080 (299.5" x 95.5")  
15090 (179.5" x 107.5"), 16090 (239.5" x 107.5"), 20090 (299.5" x 107.5")  
150100 (179.5" x 119.5"), 160100 (239.5" x 119.5"), 200100 (299.5" x 119.5")

OX|XO:

12066 (143.5" x 79.5"), 16066 (191.5" x 79.5"), 20066 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

OXX|XXO:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")  
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")  
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")  
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

OXXX|XXXO:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")  
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")  
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")  
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

OXXXX|XXXXO:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")  
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")  
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")  
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

XX|XX:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

XXX|XXX:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")  
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")  
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")  
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

XXXX|XXXX:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")  
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")  
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")  
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

XXXXX|XXXXX:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")  
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")  
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")  
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

PX or XP: (Daylight Openings)

3068 (35.5" x 79.5"), 4068(47.5" x 79.5"), 5068(59.5" x 79.5")  
3080 (35.5" x 95.5"), 4080 (47.5" x 95.5"), 5080 (59.5" x 95.5")  
3090 (35.5" x 107.5"), 4090 (47.5" x 107.5), 5090 (59.5" x 107.5")  
30100 (35.5" x 119.5"), 40100 (47.5" x 119.5"), 50100 (59.5" x 119.5")

PXX or XXP: (Daylight Openings)

6068(71.5" x 79.5"), 8068(95.5" x 79.5"), 10068(119.5" x 79.5")  
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")  
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")  
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

PXXX or XXXP: (Daylight Openings)

9068(107.5" x 79.5"), 12068(143.5" x 79.5"), 15068(179.5" x 79.5")  
9080 (107.5" x 95.5"), 12080 (143.5" x 95.5"), 15080 (179.5" x 95.5")  
9090 (107.5" x 107.5"), 12090 (143.5" x 107.5"), 15090 (179.5" x 107.5")  
90100 (107.5" x 119.5"), 120100 (143.5" x 119.5"), 150100 (179.5" x 119.5")

PXXXX or XXXXP: (Daylight Openings)

12068(143.5" x 79.5"), 16068(191.5" x 79.5"), 20068(239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

PXXXXX or XXXXXP: (Daylight Openings)

15068(179.5" x 79.5"), 16068(239.5" x 79.5"), 20068(299.5" x 79.5")  
15080 (179.5" x 95.5"), 16080 (239.5" x 95.5"), 20080 (299.5" x 95.5")  
15090 (179.5" x 107.5"), 16090 (239.5" x 107.5"), 20090 (299.5" x 107.5")  
150100 (179.5" x 119.5"), 160100 (239.5" x 119.5"), 200100 (299.5" x 119.5")

PX|XP: (Daylight Openings)

6068(71.5" x 79.5"), 8068(95.5" x 79.5"), 10068(119.5" x 79.5")  
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")  
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")  
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

PXX|XXP: (Daylight Openings)

12068(143.5" x 79.5"), 16068(191.5" x 79.5"), 20068(239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

PXXX|XXXP: (Daylight Openings)

18068(215.5" x 79.5"), 24068(287.5" x 79.5"), 30068(359.5" x 79.5")  
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")  
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")  
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

PXXXX|XXXXP: (Daylight Openings)

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")  
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")  
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")  
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

PXXXXX|XXXXXP: (Daylight Openings)

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")  
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")  
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")  
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

OXvXO:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

OXXvXXO:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")  
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")  
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")  
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

OXXXvXXXO:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")  
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")  
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")  
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

OXXXXvXXXXO:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")  
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")  
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")  
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

XXvXX:

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

XXXvXXX:

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")  
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")  
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")  
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

XXXXvXXXX:

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")  
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")  
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")  
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

XXXXXvXXXXX:

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")  
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")  
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")  
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")

PXvXP: (Daylight Openings)

6068 (71.5" x 79.5"), 8068 (95.5" x 79.5"), 10068 (119.5" x 79.5")  
6080 (71.5" x 95.5"), 8080 (95.5" x 95.5"), 10080 (119.5" x 95.5")  
6090 (71.5" x 107.5"), 8090 (95.5" x 107.5"), 10090 (119.5" x 107.5")  
60100 (71.5" x 119.5"), 80100 (95.5" x 119.5"), 100100 (119.5" x 119.5")

PXXvXXP: (Daylight Openings)

12068 (143.5" x 79.5"), 16068 (191.5" x 79.5"), 20068 (239.5" x 79.5")  
12080 (143.5" x 95.5"), 16080 (191.5" x 95.5"), 20080 (239.5" x 95.5")  
12090 (143.5" x 107.5"), 16090 (191.5" x 107.5"), 20090 (239.5" x 107.5")  
120100 (143.5" x 119.5"), 160100 (191.5" x 119.5"), 200100 (239.5" x 119.5")

PXXXvXXXP: (Daylight Openings)

18068 (215.5" x 79.5"), 24068 (287.5" x 79.5"), 30068 (359.5" x 79.5")  
18080 (215.5" x 95.5"), 24080 (287.5" x 95.5"), 30080 (359.5" x 95.5")  
18090 (215.5" x 107.5"), 24090 (287.5" x 107.5"), 30090 (359.5" x 107.5")  
180100 (215.5" x 119.5), 240100 (287.5" x 119.5"), 300100 (359.5" x 119.5")

PXXXXvXXXXP: (Daylight Openings)

24068 (287.5" x 79.5"), 32068 (383.50" x 79.5"), 40068 (479.5" x 79.5")  
24080 (287.5" x 95.5"), 32080 (383.50" x 95.5"), 40080 (479.5" x 95.5")  
24090 (287.5" x 107.5"), 32090 (383.5" x 107.5"), 40090 (479.5" x 107.5")  
240100 (287.5" x 119.5"), 320100 (383.5" x 119.5"), 400100 (479.5" x 119.5")

PXXXXXvXXXXXP: (Daylight Openings)

30068 (359.5" x 79.5"), 40068 (479.5" x 79.5"), 50068 (599.5" x 79.5")  
30080 (359.5" x 95.5"), 40080 (479.5" x 95.5"), 50080 (599.5" x 95.5")  
30090 (359.5" x 107.5"), 40090 (479.5" x 107.5"), 50090 (599.5" x 107.5")  
300100 (359.5" x 119.5"), 400100 (479.5" x 119.5"), 500100 (599.5" x 119.5")